U.S. DEPARTMENT OF COMMERCE
National Technical Information Service
PB-272 257

Dworshak Reservoir, Clearwater County, Idaho

National Eutrophication Survey, Las Vegas, Nev

Prepared for

Environmental Monitoring and Support Lab, Las Vegas, Nev

Jul 77

PB 272 257

U.S. ENVIRONMENTAL PROTECTION AGENCY
NATIONAL EUTROPHICATION SURVEY

WORKING PAPER SERIES

CORVALLIS ENVIRONMENTAL RESEARCH LABORATORY - CORVALLIS, OREGON
and
ENVIRONMENTAL MONITORING & SUPPORT LABORATORY - LAS VEGAS, NEVADA

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

REPORT

ON

DWORSHAK RESERVOIR

CLEARWATER COUNTY

IDAHO

EPA REGION X

WORKING PAPER NO. 779

WITH THE COOPERATION OF THE

IDAHO DEPARTMENT OF HEALTH AND WELFARE

AND THE

IDAHO NATIONAL GUARD

JULY, 1977

TECHNICAL REPORT DATA

(Please read Instructions on the reverse before completing)

1. REPORT NO.	PB272257
4. TITLE AND SUBTITLE: Report on Dworshak Reservoir, Clearwater County, Idaho	5. REPORT DATE: Prepared July 1977
7. AUTHOR(S): Anonymous (National Eutrophication Survey Staff)	8. PERFORMING ORGANIZATION REPORT NO.: Working Paper No. 779
9. PERFORMING ORGANIZATION NAME AND ADDRESS: National Eutrophication Survey U.S. Environmental Protection Agency P.O. Box 15027 Las Vegas, NV 89114	10. PROGRAM ELEMENT NO. 11. CONTRACT/GRANT NO.
12. SPONSORING AGENCY NAME AND ADDRESS: Office of Research and Development U.S. Environmental Protection Agency 401 M Street, S. W. Washington, DC 20460	13. TYPE OF REPORT AND PERIOD COVERED: Final - 1975 14. SPONSORING AGENCY CODE

15. SUPPLEMENTARY NOTES: Prepared in cooperation with the U.S. Environmental Protection Agency, Corvallis Environmental Research Laboratory, Eutrophication Survey Branch, Corvallis, OR 97330

16. ABSTRACT

Annual total phosphorus and total nitrogen loadings to the lake were estimated and subdivided according to either point or non-point source origin. An assessment of the lake's trophic condition and limiting nutrient is also provided. All data collected by the U.S.E.P.A. National Eutrophication Survey during the one year study of the lake and its tributaries are included in the report.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
eutrophication lakes nutrients phosphorus nitrogen loading		05B 05C

18. DISTRIBUTION STATEMENT: Release unlimited	19. SECURITY CLASS (This Report):	21. NO. OF PAGES: 58
	20. SECURITY CLASS (This Page):	22. PRICE: PC A04

EPA Form 2220-1 (9-73)

REPORT ON DWORSHAK RESERVOIR

CLEARWATER COUNTY, IDAHO

EPA REGION X

by

National Eutrophication Survey

Water and Land Quality Branch
Monitoring Operations Division
Environmental Monitoring & Support Laboratory
Las Vegas, Nevada

and

Special Studies Branch
Corvallis Environmental Research Laboratory
Corvallis, Oregon

Working Paper No. 770

OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY

July 1977

CONTENTS

	Page
Foreword	ii
List of Idaho Study Lakes	iv
Lake and Drainage Area Map	v
Sections	
I. Conclusions	1
II. Lake and Drainage Basin Characteristics	4
III. Lake Water Quality Summary	6
IV. Nutrient Loadings	12
V. Literature Reviewed	18
VI. Appendices	19

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to freshwater lakes and reservoirs.

OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point source discharge reduction and nonpoint source pollution abatement in lake watersheds.

ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.

b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.

c. With such a transformation, an assessment of the potential for eutrophication control can be made.

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's freshwater lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by the U.S. Environmental Protection Agency and to augment plans implementation by the states.

ACKNOWLEDGMENTS

The staff of the National Eutrophication Survey (Office of Research and Development, U.S. Environmental Protection Agency) expresses sincere appreciation to the Idaho Department of Health and Welfare for professional involvement, to the Idaho National Guard for conducting the tributary sampling phase of the Survey, and to those Idaho wastewater treatment plant operators who provided effluent samples and flow data.

The staff of the State of Idaho Department of Health and Welfare, Division of Environment, provided invaluable lake documentation and counsel during the Survey, reviewed the preliminary reports and provided critiques most useful in the preparation of this Working Paper Series.

Major General James S. Brooks, Adjutant General of Idaho, and Project Officer Major Vestal L. Baker, who directed the volunteer efforts of the Idaho National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

NATIONAL EUTROPHICATION SURVEY

STUDY LAKES

STATE OF IDAHO

LAKE NAME	COUNTY
American Falls Reservoir	Bannock, Bingham, Power
Cascade Reservoir	Valley
Coeur d'Alene Lake	Benewah, Kootenai
Dworshak Reservoir	Clearwater
Hauser Lake	Kootenai
Hayden Lake	Kootenai
Island Park Reservoir	Fremont
Lake Lowell (Deer Flat Reservoir)	Canyon
Magic Reservoir	Blaine, Camas
Palisades Reservoir	Bonneville (Lincoln in WY)
Payette Lake	Valley
Lower Twin Lake	Kootenai
Upper Twin Lake	Kootenai


DWORSHAK RESERVOIR
Tributary Sampling Site
Lake Sampling Site
Sewage Treatment Facility
Drainage Area Boundary
Scale
IDAHO
Map Location
DWORSHAK
RESERVOIR

REPORT ON DWORSHAK RESERVOIR, IDAHO
STORET NO. 1604

I. CONCLUSIONS

A. Trophic Condition:*

Based upon Survey data and field observations Dworshak Reservoir is considered oligotrophic. Chlorophyll a values ranged from 0.5 µg/l to 6.7 µg/l in the lake with a mean of 2.4 µg/l. Potential for primary production as measured by algal assay control yields was low. Of the 13 Idaho lakes sampled in 1975, 11 had higher median total phosphorus, 1 had higher median inorganic nitrogen and 5 had higher median orthophosphorus levels than Dworshak Reservoir.

Field limnologists reported Dworshak Resurvoir was a clean and beautiful lake. The Idaho Department of Water Resources et al. (1975) has noted that the lake is of high water quality and low productivity, but that it will be a future site for heavy subdivision and recreational development, and should be watched closely for any deleterious changes.

*See Appendix E.

B. Rate-Limiting Nutrient:

The algal assay results indicate Dworshak Reservoir was limited by available phosphorus at the times the samples were collected (04/07/75, 09/11/75). The reservoir data suggest primary limitation by nitrogen on all three sampling occasions.

C. Nutrient Controllability:

1. Point Sources -

During the sampling year point sources were estimated to contribute only 0.4% of the total phosphorus loading to Dworshak Reservoir. The towns of Headquarters and Elk River each contributed 0.2% of the total phosphorus load.

The annual phosphorus loading to Dworshak Reservoir of 1.50 g $P/m^2/yr$ is less than Vollenweider's (1975) proposed loading for "eutrophic" lakes but greater than his proposed "oligotrophic" level on the basis of lake mean depth and hydraulic retention time. Any future nutrient inputs to the lake should be carefully evaluated as to their effect on the high water quality of the reservoir.

2. Nonpoint Sources -

Nonpoint sources, including precipitation, were found to contribute 99.6% of the total phosphorus loading to Dworshak Reservoir during the sampling year. The North Fork Clearwater River contributed 53.4% of the total phosphorus load, the Little

North Fork Clearwater River contributed 10.4%, and ungaged drainage areas were estimated to have contributed 19.3%. The Idaho Department of Health and Welfare has also indicated that nutrient contributions to the lake can be expected from bank instability and associated slumping resulting from fluctuations of the reservoir surface elevation (A.E. Murrey, personal communication).

The Elks Creek and Reeds Creek had slightly higher annual phosphorus nutrient exports than would be expected from strictly nonpoint contributions (Section IV-D). The Idaho Department of Water Resources, et al. (1975) report that both of these creeks are effected ny upstream sewage and mining contributions, and the U.S. Army District Engineer (1974) states that man-related nonpoint contributions, such as agricultural runoff, are insignificant in terms of their effect on water quality in the reservoir. Additional investigation is needed to determine the extent of these upstream mining and sewage sources before any recommendations on their controllability can be made.

II. LAKE AND DRAINAGE BASIN CHARACTERISTICS

Lake and drainage basin characteristics are itemized below. Lake surface area, mean and maximum depth were provided by Herman Ray (personal communication). Tributary flow data were provided by the Idaho District Office of the U.S. Geological Survey (USGS). Outlet drainage area includes the lake surface area. Mean hydraulic retention time was obtained by dividing the lake volume by mean flow of the outlet. Precipitation values are estimated by methods as outlined in National Eutrophication Survey (NES) Working Paper No. 175. A table of metric/English conversions is included as Appendix A.

A. Lake Morphometry:

1. Surface area: 76.89 km^2.
2. Mean depth: 55.5 meters.
3. Maximum depth: 7 meters.
4. Volume: 4,267,875 x 10^6 m^3.
5. Mean hydraulic retention time: 305 days.

B. Tributary and Outlet:
(See Appendix B for Flow data)

1. Tributaries -

Name	Drainage area (km^2)	Mean flow (m^3/sec)
A-2 North Fork Clearwater River	3,022.4	106.92
B-1 Elk Creek	240.4	7.30
F-1 Reeds Creek	161.6	4.90
G-1 Breakfast Creek	334.1	11.00
H-1 Little North Fork Clearwater River	678.6	23.00
Minor tributaries and immediate drainage -	1,306.2	43.66
Totals	6,243.3	196.78
2. Outlet - A-1 Clearwater River	6,319.6	161.71

C. Precipitation:

1. Year of sampling: 64.9 cm.
2. Mean annual: 66.2 cm.

III. LAKE WATER QUALITY SUMMARY

Dworshak Reservoir was sampled three times during the open-water season of 1975 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from five stations on the lake and from a number of depths at each station (see map, page v). During each visit, depth-integrated samples were collected from each station for chlorophyll *a* analysis and phytoplankton identification and enumeration. During the first and last visits, 18.9-liter depth-integrated samples were composited for algal assays. The maximum depth sampled at all lake stations was 64.0 meters (the maximum line depth on the helicopter sampling probe). For a more detailed explanation of NES methods, see NES Working Paper No. 175.

The results obtained are presented in full in Appendix C and are summarized in III-A for waters at the surface and at the maximum depth for each site. Results of the phytoplankton counts and chlorophyll *a* determinations are included in III-B. Results of the limiting nutrient study are presented in III-C.

[illegible]
[illegible]

[illegible] AND CHEMICAL CHARACTERISTICS

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

B. Biological Characteristics:

1. Phytoplankton -

Sampling Date	Dominant Genera	Algal Unit per ml
04/07/75	1. Melosira	1,036
	2. Chroomonas	192
	3. Cryptomonas	154
	Other genera	***
	Total	1,382
07/23/75	1. Mallomonas	286
	2. Dactylis	239
	3. Ankistrodesmus	95
	4. Melosira	48
	Other genera	***
	Total	668
09/11/75	1. Coelosphaerium	579
	2. Melosira	241
	3. Aphanizomenon	96
	4. Ankistrodesmus	48
	5. Asterionella	48
	Other genera	97
	Total	1,109

f. Chlorophyll a -

Sampling Date	Station Number	Chlorophyll a (ug/l)
04/07/75	01	2.2
	02	0.9
	03	1.7
	04	0.6
	05	0.5
07/23/75	01	6.7
	02	4.4
	03	3.0
	04	1.3
	05	3.0
09/11/75	01	2.8
	02	2.8
	03	3.5
	04	1.0
	05	1.9

C. Limiting Nutrient Study:

1. Autoclaved, filtered, and nutrient spiked -

a. 04/07/75 Stations 01-03

Spike (mg/l)	Ortho P Conc. (mg/l)	Inorganic N Conc. (mg/l)	Maximum Yield (mg/l-dry wt.)
Control	0.000	0.104	0.6
0.05 P	0.050	0.104	3.9
0.05 P + 1.0 N	0.050	1.104	16.9
1.00 N	0.000	1.104	0.6

Stations 04 and 05

Spike (mg/l)	Ortho P Conc. (mg/l)	Inorganic N Conc. (mg/l)	Maximum Yield (mg/l-dry wt.)
Control	0.000	0.072	0.2
0.05 P	0.050	0.072	2.4
0.05 P + 1.0 N	0.050	1.072	16.9
1.00 N	0.000	1.072	0.2

b. 09/11/75 Stations 01-03

Spike (mg/l)	Ortho P Conc. (mg/l)	Inorganic N Conc. (mg/l)	Maximum Yield (mg/l-dry wt.)
Control	0.005	0.050	0.3
0.05 P	0.055	0.050	4.4
0.05 P + 1.0 N	0.055	1.050	16.9
1.00 N	0.005	1.050	0.3

Stations 04 and 05

Spike (mg/l)	Ortho P Conc. (mg/l)	Inorganic N Conc. (mg/l)	Maximum Yield (mg/l-dry wt.)
Control	0.005	0.055	0.4
0.05 P	0.055	0.055	4.0
0.05 P + 1.0 N	0.055	1.055	16.6
1.00 N	0.005	1.055	0.4

2. Discussion -

The control yield of the assay alga, Selenastrum capricornutum, indicate that the potential primary productivity in Dworshak Reservoir was low to moderate at the times assay samples were collected (04/07/75, 09/11/75). In all assays, a significant increase in yield occurred when phosphorus was added alone and in combination with nitrogen indicating phosphorus limitation. The addition of only nitrogen resulted in a yield which was not significantly greater than that of the control.

The mean inorganic nitrogen to orthophosphorus ratios (N/P) in the lake data were less than 12/1 on all sampling occasions, suggesting nitrogen limitation (a mean N/P ratio of 14/1 or greater generally reflects phosphorus limitation).

IV. NUTRIENT LOADINGS
(See Appendix D for data)

For the determination of nutrient loadings, the Idaho National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the map (page v), except for the high runoff month of June when two samples were collected. Sampling was begun in October 1974, and was completed in September 1975.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the Idaho District Office of the U.S. Geological Survey for the tributary sites nearest the lake.

In this report, nutrient loads for sampled tributaries were determined by using a modification of the U.S. Geological Survey computer program for calculating stream loadings. Nutrient loads indicated for tributaries are those measured minus known point source loads, if any.

Nutrient loadings for unsampled "minor tributaries and immediate drainage" ("ZZ" of USGS) were estimated by using the mean annual nutrient loads, in $kg/km^2/yr$, in North Fork Clearwater River, Breakfast Creek and Little North Fork Clearwater River at Stations A-2, G-1 and H-1 and multiplying the means by the ZZ area in km^2.

Nutrient loads for the Headquarters and Elk River wastewater treatment plants were estimated at 1.134 kg P and 3.401 kg N/capita/year.

A. Waste Sources:

1. Known municipal -

Name	Pop.* Served	Treatment*	Mean Flow ($m^3/d \times 10^3$)	Receiving Water
Headquarters	250	Stabilization Pond	0.095**	Reeds Creek
Elk River	250	Stabilization Pond	0.095**	Elk Creek

2. Known industrial - None

*U.S. EPA, 1971.
**Estimated at 0.3785 m^3/capita/day.

B. Annual Total Phosphorus Loading - Average Year:

1. Inputs -

Source	kg P/yr	% of total
a. Tributaries (nonpoint load) -		
A-2 North Fork Clearwater River	61,540	53.4
B-1 Elk Creek	6,505	5.6
F-1 Reeds Creek	5,405	4.7
G-1 Breakfast Creek	5,735	5.0
H-1 Little North Fork Clearwater River	12,010	10.4
b. Minor tributaries and immediate drainage (nonpoint load) -	22,205	19.3
c. Known municipal STP's -		
Headquarters	285	0.2
Elk River	285	0.2
d. Septic tanks - None known		
e. Known industrial - None		
f. Direct precipitation* -	1,345	1.2
Totals	115,315	100.0%
2. Output - A-1 Clearwater River	84,025	
3. Net annual P accumulation -	31,290	

*Estimated (See NES Working Paper No. 175).

C. Annual Total Nitrogen Loading - Average Year:

1. Inputs -

Source	kg N/yr	% of total
a. Tributaries (nonpoint load) -		
A-2 North Fork Clearwater River	1,870,085	57.9
B-1 Elk Creek	55,420	1.7
F-1 Reeds Creek	42,320	1.3
G-1 Breakfast Creek	190,205	5.9
H-1 Little North Fork Clearwater Creek	313,375	9.6
b. Minor tributaries and immediate drainage (nonpoint load) -	681,835	21.0
c. Known municipal STP's -		
Headquarters	850	<0.1
Elk River	850	<0.1
d. Septic tanks - None known		
e. Known industrial - None		
f. Direct precipitation* -	83,010	2.6
Totals	3,247,950	100.0%
2. Outputs - A-1 Clearwater River	1,892,860	
3. Net annual N accumulation -	1,355,090	

*Estimated (See NES Working Paper No. 175).

D. Mean Annual Nonpoint Nutrient Export by Subdrainage Area:

Tributary	kg P/km²/yr	kg N/km²/yr
North Fork Clearwater River	17	534
Elk Creek	27	230
Reeds Creek	33	262
Breakfast Creek	17	569
Little North Fork Clearwater River	16	462

E. Mean Nutrient Concentrations in Ungaged Streams:

Tributary	Mean Total P (mg/l)	Mean Total N (mg/l)
C-1 Cranberry Creek	0.031	0.643
D-1 Swamp Creek	0.029	0.532
E-1 Weitas Creek	0.033	0.593
J-1 Isabella Creek	0.013	0.516

F. Yearly Loadings:

In the following table, the existing phosphorus loading is compared to the relationship proposed by Vollenweider (1975). Essentially, his "eutrophic" loading is that at which the receiving waters would become eutrophic or remain eutrophic; his "oligotrophic" loading is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A "mesotrophic" loading would be considered one between "eutrophic" and "oligotrophic."

Note that Vollenweider's model may not be applicable to water bodies with very short retention times or in which light penetration is severely restricted from high concentrations of suspended solids in the surface waters.

	Total Yearly Phosphorus Loading ($g/m^2/yr$)
Estimated loading for Dworshak Reservoir	1.60
Vollenweider's "eutrophic" loading	1.56
Vollenweider's "oligotrophic" loading	0.78

V. LITERATURE REVIEWED

Falter, C. Michael, Rudy R. Ringe, Jack Skille, and Rick Stowell. 1974. Limnology in Dworshak Reservoir in the Second Year after Dam Closure. Interim report submitted to U.S. Army Corps of Engineers, Walla Walla District.

Idaho Department of Water Resources, Department of Health and Welfare, Department of Fish and Game, and Department of Budget, Policy Planning and Coordination. 1975. Idaho Environmental Overview. Boise, Idaho.

Murrey, A.E. 1977. Personal communication (nutrient contributions to Dworshak Reservoir). Idaho Department of Health and Welfare. Boise, Idaho.

Ray, Herman. 1976. Personal communication (morphometric data of selected Idaho water bodies). Boise, Idaho.

U.S. Army Corps of Engineers. 1974. Draft Environmental Impact Statement on Dworshak Dam and Reservoir. Walla Walla, Washington.

U.S. Environmental Protection Agency. 1971. Inventory of Wastewater Treatment Facilities. EPA Publication No. OWP-1. Office of Media Programs, Office of Water Programs, Washington, D.C.

U.S. Environmental Protection Agency. 1975. National Eutrophication Survey Methods 1973-1976. Working Paper No. 175. National Environmental Research Center, Las Vegas, Nevada, and Pacific Northwest Environmental Research Laboratory, Corvallis, Oregon.

Vollenweider, R. A. 1975. Input-Output Models With Special Reference to the Phosphorus Loading Concept in Limnology. Schweiz. Z. Hydrol. 37:53-84.

VI. APPENDICES

APPENDIX A
CONVERSION FACTORS

CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x 8.107×10^{-4} = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 35.315 = cubic feet/sec

Centimeters x 0.3937 = inches

Kilograms x 2.205 = pounds

Kilograms/square kilometer x 5.711 = lbs/square mile

APPENDIX B
TRIBUTARY FLOW DATA

[redacted]

[illegible]

[illegible]

[illegible]

APPENDIX C

PHYSICAL AND CHEMICAL DATA

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] METHODS, DATE [illegible]
[illegible] SUSPENSION SURVEY
[illegible] [illegible]

[illegible]
[illegible] 35 SEA 11th 17 [illegible] 3
[illegible] [illegible]
[illegible] [illegible]

[illegible]
[illegible] [illegible]

DATE	TIME	DEPTH	[illegible]	[illegible]	[illegible]
[illegible]	OF			&	[illegible]
TO	DAY	FEET	[illegible]	[illegible]	[illegible]
75/04/07	12	45	[illegible]	[illegible]	[illegible]
	12	45	[illegible]	[illegible]	
	12	45	[illegible]	[illegible]	
	12	45	[illegible]	[illegible]	
	12	45	[illegible]	[illegible]	
	12	45	[illegible]	[illegible]	
	12	45	[illegible]	[illegible]	
	12	45	[illegible]	[illegible]	
75/07/23	14	15	[illegible]	[illegible]	[illegible]
	14	15	[illegible]	[illegible]	
	14	15	[illegible]	[illegible]	
	14	15	[illegible]	[illegible]	
	14	15	[illegible]	[illegible]	
	14	15	[illegible]	[illegible]	
	14	15	[illegible]	[illegible]	
	14	15	[illegible]	[illegible]	
75/09/11	11	45	[illegible]	[illegible]	[illegible]
	11	45	[illegible]	[illegible]	
	11	45	[illegible]	[illegible]	
	11	45	[illegible]	[illegible]	
	11	45	[illegible]	[illegible]	
	11	45	[illegible]	[illegible]	
	11	45	[illegible]	[illegible]	
	11	45	[illegible]	[illegible]	

[illegible] METHODS, DATE [illegible]
[illegible] SUBSURFACE [illegible]
[illegible]

[illegible]
[illegible] 30 [illegible] [illegible] [illegible] [illegible] 3
[illegible]
[illegible] [illegible]

[illegible]

[illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]

DATE	TIME	DEPTH	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	SP		[illegible]		[illegible]	FIELD			CASED	TOTAL	%	[illegible]	SP=0
TU	DAY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	SU	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	13	25	[illegible]	3.8	11.8	72	24	7.10	21	[illegible]	[illegible]	[illegible]	[illegible]
	13	25	[illegible]	3.7			24	7.10	20	[illegible]	[illegible]	[illegible]	[illegible]
	13	25	[illegible]	3.7	11.8		24	7.20	22	[illegible]	[illegible]	[illegible]	[illegible]
	13	25	[illegible]	3.7	11.8		24	7.10	21	[illegible]	[illegible]	[illegible]	[illegible]
	13	25	[illegible]	3.8	11.8		24	7.10	20	[illegible]	[illegible]	[illegible]	[illegible]
	13	25	[illegible]	3.1	11.8		23	6.80	17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	15	40	[illegible]	20.8	8.8	116	22	7.75	18	[illegible]	[illegible]	[illegible]	[illegible]
	15	40	[illegible]	21.8	8.8		20	7.40	17	[illegible]	[illegible]	[illegible]	[illegible]
	15	40	[illegible]	24.5	10.3		23	7.50	19	[illegible]	[illegible]	[illegible]	[illegible]
	15	40	[illegible]	11.8	14.2		21	7.10	19	[illegible]	[illegible]	[illegible]	[illegible]
	15	40	[illegible]	7.1	10.8		19	6.85	19	[illegible]	[illegible]	[illegible]	[illegible]
	15	40	[illegible]	6.1	10.8		15	6.90	11	[illegible]	[illegible]	[illegible]	[illegible]
	15	40	[illegible]	5.1	10.8		21	6.95	17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	11	25	[illegible]	15.8	8.2	96	22	6.70	14	[illegible]	[illegible]	[illegible]	[illegible]
	11	25	[illegible]	15.8	8.1		19	7.20	13	[illegible]	[illegible]	[illegible]	[illegible]
	11	25	[illegible]	15.1	8.8		14	7.40	14	[illegible]	[illegible]	[illegible]	[illegible]
	11	25	[illegible]	11.5	7.6		6	7.10	12	[illegible]	[illegible]	[illegible]	[illegible]
	11	25	[illegible]	9.2	10.1		1	6.90	12	[illegible]	[illegible]	[illegible]	[illegible]
	11	25	[illegible]	8.1	10.2		2	6.70	11	[illegible]	[illegible]	[illegible]	[illegible]
	11	25	[illegible]	3.2	10.2		3	6.75	21	[illegible]	[illegible]	[illegible]	[illegible]
	11	25	[illegible]	2.1	8.2		6	6.85	21	[illegible]	[illegible]	[illegible]	[illegible]

[illegible] [illegible]
[illegible] [illegible]

[illegible] RETRIEVAL DATE [illegible]
[illegible] SURFACE/LOCATION SURVEY
[illegible] [illegible]

[illegible]
[illegible]
[illegible]
[illegible]

[illegible]
[illegible]

DATE	TIME	DEPTH	[illegible]	[illegible]	[illegible]
FROM	OF			&	[illegible]
TO	DAY	FEET	[illegible]	GAL	[illegible]
[illegible]	13	25	[illegible]	[illegible]	1.7
	13	25	[illegible]	[illegible]	
	13	25	[illegible]	[illegible]	
	13	25	[illegible]	[illegible]	
	13	25	[illegible]	[illegible]	
	13	25	[illegible]	[illegible]	
[illegible]	15	40	[illegible]	[illegible]	1.0
	15	40	[illegible]	[illegible]	
	15	40	[illegible]	[illegible]	
	15	40	[illegible]	[illegible]	
	15	40	[illegible]	[illegible]	
	15	40	[illegible]	[illegible]	
	15	40	[illegible]	[illegible]	
[illegible]	11	25	[illegible]	[illegible]	1.5
	11	25	[illegible]	[illegible]	
	11	25	[illegible]	[illegible]	
	11	25	[illegible]	[illegible]	
	11	25	[illegible]	[illegible]	
	11	25	[illegible]	[illegible]	
	11	25	[illegible]	[illegible]	
	11	25	[illegible]	[illegible]	
	11	25	[illegible]	[illegible]	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

DATE FROM TO	TIME OF DAY	DEPTH FEET	DISS OXYGEN (DO) MG/L	OXYGEN, DISSOLVED PERCENT SATURATION CENT	BIOCHEM OXYGEN DEMAND, STANDARD DILUTION (BOD) MG/L	COLOR PLATINUM-COBALT UNITS	SPECIFIC CONDUCTANCE MICROMHOS/CM	PH STANDARD UNITS	ALKALINITY AS CACO3 MG/L	ALKALINITY TOTAL MG/L	CARBON DIOXIDE (CO2) MG/L	CHLORIDE, DISSOLVED MG/L	SULFATE, DISSOLVED MG/L
75/04/07	12 29	0000	4.3	11.8	46	15	6.98	13	0.070	0.200	0.060	0.005	
	12 27	0005	4.2	10.6		17	6.78	12	0.000	0.000	0.070	0.007	
	12 28	0025	4.2	11.2		17	6.96	14	0.070	0.200	0.060	0.003	
	12 29	0045	4.2	11.8		17	6.90	13	0.000	0.200	0.060	0.007	
	12 29	0120	4.1	10.6		17	6.78	14	0.070	0.200	0.240	0.005	
	12 29	0170	4.1	11.8		20	6.79	17	0.030	0.200	0.040	0.009	
75/07/23	14 39	0000	23.9	8.6	46	30	7.40	14	0.070	0.200	0.070	0.005	
	14 34	0005	23.7	8.4		30	7.36	17	0.070	0.200	0.070	0.006	
	14 38	0015	23.7	8.2		26	7.40	15	0.070	0.200	0.070	0.005	
	14 38	0030	11.6	9.4		19	7.40	25	0.030	0.200	0.070	0.004	
	14 39	0045	7.3	10.6		17	7.20	22	0.070	0.200	0.060	0.003	
	14 39	0100	6.5	8.2		19	7.10	23	0.030	0.200	0.040	0.004	
	14 11	0140	5.8	10.6		15	7.10	23	0.070	0.200	0.060	0.003	
	14 38	0175	5.2	10.8		19	7.05	25	0.070	0.200	0.060	0.003	
75/09/11	10 19	0000	24.3	8.2	120	20	6.98	25	0.070	0.200	0.070	0.004	
	10 19	0005	24.1	8.4		32	6.70	26	0.070	0.200	0.070	0.003	
	10 19	0020	11.4	8.2		13	6.78	26	0.070	0.200	0.070	0.003	
	10 19	0050	7.7	8.2		1	6.65	22	0.070	0.200	0.030	0.004	
	10 19	0090	4.3	10.4		37	6.86	24	0.070	0.200	0.060	0.004	
	10 19	0130	3.7	10.6		1	6.93	25	0.070	0.200	0.060	0.005	
	10 19	0170	2.9	10.2		3	6.55	22	0.070	0.200	0.060	0.004	
	10 19	0210	2.1	9.6		6	6.48	23	0.070	0.200	0.040	0.004	

[illegible]

[illegible] METEOROL DATE [illegible]
NATL SUPERPRECIPITATION SUMMARY
[illegible] HOURS

[illegible]
[illegible] 30 35.0 11N 01 35.0 3
[illegible] METEOROLOGY
[illegible] [illegible]

[illegible]

[illegible] [illegible]
[illegible] FEET [illegible] CLASS 00

DATE	TIME	DEPTH	[illegible]	[illegible]	[illegible]
FROM	OF			A	[illegible]
TO	DAY	FEET	[illegible]	[illegible]	[illegible]
[illegible]	12	29	[illegible]	[illegible]	[illegible]
	12	29	[illegible]	[illegible]	
	12	29	[illegible]	[illegible]	
	12	29	[illegible]	[illegible]	
	12	29	[illegible]	[illegible]	
	12	29	[illegible]	[illegible]	
[illegible]	14	30	[illegible]	[illegible]	[illegible]
	14	30	[illegible]	[illegible]	
	14	30	[illegible]	[illegible]	
	14	30	[illegible]	[illegible]	
	14	30	[illegible]	[illegible]	
	14	30	[illegible]	[illegible]	
	14	30	[illegible]	[illegible]	
	14	30	[illegible]	[illegible]	
[illegible]	10	10	[illegible]	[illegible]	[illegible]
	10	10	[illegible]	[illegible]	
	10	10	[illegible]	[illegible]	
	10	10	[illegible]	[illegible]	
	17	10	[illegible]	[illegible]	
	10	10	[illegible]	[illegible]	
	10	10	[illegible]	[illegible]	
	10	10	[illegible]	[illegible]	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]													
[illegible]													
[illegible]													
[illegible]													

[illegible]

[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

APPENDIX D

TRIBUTARY AND WASTEWATER TREATMENT PLANT DATA

[redacted]

[redacted]

DATE	TIME	DEPTH	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]							
74/10/19	04	29	0.972	0.1074	0.825	0.885	0.810
74/11/07	17	00	0.968	0.1102	0.825	0.885	0.8134
74/12/06	08	00	0.978	0.1001	0.829	0.885	0.8134
75/01/07	12	07	0.1004	0.1102	0.816	0.816	0.814
75/02/04			0.983	0.1001	0.816	0.1004	0.8134
75/04/15	10	19	0.968	0.1069	0.810	0.885	0.8134
75/04/25	11	00	0.958	0.1050	0.829	0.1024	0.826
75/04/29	20	00	0.945	0.1050	0.878	0.810	0.1001
75/07/04	10	00	0.929	0.1051	0.829	0.810	0.829
75/08/17	10	30	0.915	0.1050	0.815	0.8854	0.1040
75/09/25	13	30	0.945	0.1001	0.810	0.885	0.1001

* [redacted]

[illegible]

[illegible]

[illegible]								
[illegible]								
[illegible]								
[illegible]								
[illegible]								
[illegible]								
[illegible]								
[illegible]								

[illegible]

[redacted]
[redacted]
[redacted]

[redacted]
[redacted]
[redacted]
[redacted]
[redacted]
[redacted]

DATE	TIME	DEPTH	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	12	15	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	15	00	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	16	35	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	15	45	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	13	00	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	10	30	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	10	30	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]

[redacted]
[redacted]

[redacted]

[redacted]

[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							

[redacted]

[illegible] HISTORICAL DATE 76/05/25
[illegible] FLOW/RECESSION SUMMARY
[illegible] LAS [illegible]

[illegible]
[illegible] 40 [illegible] 336 [illegible] 40.0 +
[illegible] CREEK
[illegible] 7.5 LTD, [illegible] +%
[illegible] [illegible] [illegible] 13040
[illegible] [illegible] 2.5 [illegible] + [illegible]
[illegible] 2111284
[illegible] FEET [illegible] 0.405 [illegible]

DATE	TIME	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
YR	DAY	HOUR	MGAL	MGAL	MGAL	MGAL	MGAL
76/10/24	24	08	0.834	0.660	0.810	0.825	0.825
76/11/26	12	07	0.814	0.1084	0.773	0.805	0.805
76/12/06	11	09	0.824	0.580	0.850	0.829	0.838
75/06/24	10	10	0.805	0.130	0.810	0.730	0.850
75/06/28	11	50	0.818	1.000	0.829	0.825	0.838
75/07/24	11	15	0.815	0.150	0.829	0.829	0.829
75/08/24	13	30	0.804	1.000	0.829	0.805+	0.840
75/09/13	09	35	0.807	0.380	0.825	0.815	0.838

[illegible] [illegible] [illegible]
[illegible]

[redacted]

[redacted]

[redacted]							
DATE	TIME	DEPTH	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
FROM	TO		[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
YR	DAY	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							

[redacted]

[redacted]

[redacted]

[redacted]

[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							

[redacted]

[redacted]

[redacted]

[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							

[redacted]

[redacted]

[redacted]

[redacted]							
DATE	TIME	DEPTH	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
FROM	OF		4-TOTAL	%	TOTAL	SPEND	
TO	DAY	FEET	MCAL	MCAL	MCAL	MCAL >	MCAL >
[redacted]							

[redacted]

[illegible] RETRIEVAL DATE 79/09/25
[illegible] DISTRIBUTION SURVEY
[illegible] LAKE HOUSE

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

DATE	TIME	DEPTH	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
FROM	OF		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TO	DAY	FEET	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
79/10/23	19	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
79/11/17	11	00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
79/06/12	24	00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
79/06/15	11	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
79/06/26	13	05	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
79/07/09	17	00	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
79/08/29	12	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
79/06/23	26	10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]
[illegible]

APPENDIX E

PARAMETRIC RANKINGS OF LAKES SAMPLED BY NES IN 1975

STATE OF IDAHO

Mean or median values for six of the key parameters evaluated in establishing the trophic conditions of Idaho lakes sampled are presented to allow direct comparison of the ranki , by parameter, of each lake relative to the others. Median total phosphorus, median inorganic nitrogen and median dissolved orthophosphorus levels are expressed in mg/l. Chlorophyll a values are expressed in ug/l. To maintain consistent rank order with the preceding parameters, the mean Secchi disc depth, in inches, is subtracted from 500. Similarly, minimum dissolved oxygen values are subtracted from 15 to create table entries.

[illegible] DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	[illegible] TOTAL P	[illegible] INDEX %	SUB- [illegible] SEC	[illegible] CALIFA	15- [illegible] 30	[illegible] INDEX METHOD P
1601	[illegible] FALLS RESERVOIR	0.375	0.000	461,000	15.379	24,700	0.035
1602	CASCADE LAKE	0.432	0.000	415,057	0.001	24,000	0.029
1603	LAKE CEDAR [illegible]	0.017	0.040	300,340	20.391	12,200	0.005
1604	[illegible] RESERVOIR	0.010	0.000	401,000	2,420	7,400	0.009
1605	[illegible]	0.020	0.075	300,200	11,102	24,000	0.013
1606	[illegible] LAKE	0.010	0.040	243,500	2,707	11,000	0.003
1607	ISLAND PARK RESERVOIR	0.034	0.000	301,770	9,322	12,000	0.012
1608	LAKE LOWELL	0.070	0.070	477,111	25,309	24,000	0.035
1609	MAGIC RESERVOIR	0.002	0.130	400,750	7,322	24,700	0.025
1610	PALISADES RESERVOIR	0.024	0.000	345,420	2,007	12,000	0.007
1611	LOWER PAYETTE	0.013	0.040	234,000	4,000	9,000	0.007
1612	LOWER TWIN LAKES	0.006	0.050	277,000	2,339	13,000	0.009
1613	UPPER TWIN LAKES	0.007	0.045	304,343	4,005	8,250	0.004

| | | |